(12)

DOT-CG-N-01-92-1.4 DOT-VNTSC-CG-92-2.III

AD-A258 809

Aids to Navigation Service Force Mix 2000 Project

Volume III

Analysis of Multi-Mission Requirements and Development of Planning Factors for the Replacement Buoy Tender Fleet



This degument has been approved for public release and sale; its distribution is unlimited.

USCG Office of Navigation Safety and Waterway Services Short Range Aids to Navigation Washington, DC 20593-0001

June 1992

This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.

92-30746

694

U.S. Department of Transportation United States Coast Guard



Office of Navigation Safety and Waterway Services Washington, DC 20593

The Aids to Navigation Service Force Mix 2000 Project is documented in a Project Overview and three separately bound volumes. Volume I, "Development and Application of an Aids to Navigation Service Force Mix Decision Support System -- Final Report" documents the Volpe Center's analysis and development of the proposed replacement buoy tender fleet. Volume II, "Development and Application of an Aids to Navigation Service Force Mix Decision Support System -- Aid Assignments and Vessel Summary Reports" contains the DSS outputs associated with the findings of Volume I. Volume III, "Analysis of Multi-Mission Requirements and Development of Planning Factors for the Replacement Buoy Tender Fleet", documents the USCG's analysis and development of baseline multi-mission requirements of the replacement buoy tender fleet. All four documents are available from the National Technical Information Service, Springfield, VA 22161.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

time for reviewing instructions, searchi completing and reviewing the collection aspect of this collection of invormation	cion of information is estimated to averaging existing data sources, gathering and model of information. Send comments regarding an including suggestions for reducing this berations and Reports, 1215 Jefferson Daviment and Budget. Paperwork Reduction Proje	aintaining the data needed, and this burden estimate or any other burden, to Washington Headquarters
22202-4302, and to the Uffice of Manager	ent and sudget, Paperwork Reduction Profe	ct (0/04-0188), Washington, DC 20503.
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE June 1992	3. REPORT TYPE AND DATES COVERED Final Report

4. TITLE AND SUBTITLE Aids To Navigation Service Force Mix 2000 Project Volume III Analysis of Multi-Mission Requirements and Development of Planning Factors for the Replacement Buoy Final Report July 1991 - June 1992

5. FUNDING NUMBERS

CG269/B2006

6. AUTHOR(S) CDR Dennis Ihnat

Tender Fleet

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) USCG Office of Navigation Safety and Waterway Services Short Range Aids to Navigation Division 2100 2nd Street, SW Washington, DC 20593-000

8. PERFORMING ORGANIZATION REPORT NUMBER

DOT-VNTSC-CG-92-2.III

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) USCG Office of Navigation Safety and Waterway Services Short Range Aids to Navigation Division 2100 2nd Street, SW Washington, DC 20593-0001

10. SPONSORING/MONITORING AGENCY REPORT NUMBER

DOT-CG-N-01-92-1.4

11. SUPPLEMENTARY NOTES

12a. DISTRIBUTION/AVAILABILITY STATEMENT

12b. DISTRIBUTION CODE

This document is available to the public through the National Technical Information Service, Springfield, VA 22161

13. ABSTRACT (Maximum 200 words)

The Aids to Navigation (ATON) Service Force Mix (SFM) 2000 Project is documented in a Project Overview and three separately bound volumes.

The Project Overview describes the purpose, approach, analysis, and results of the ATON SFM 2000 Project conducted by the USCG's Office of Navigation Safety and Waterway Services, Short Range Aids to Navigation Division.

Volume I, "Development and Application of an Aids to Navigation Service Force Mix Decision Support System -- Final Report", documents the Volpe Center's analysis and development of the proposed replacement buoy tender fleet. The document describes current ATON operations, the concept, development, and operation of the Decision Support System (DSS), the data utilized by the DSS, validation of the DSS, and the proposed service force mix.

Volume II, "Development and Application of an Aids to Navigation Service Force Mix Decision Support System -- Aid Assignments and Vessel Summary Reports", contains the DSS outputs associated with the findings of Volume I. Included are maps of the aid assignments for each vessel in both the current and proposed fleets and the associated one-page DSS

Volume III, "Analysis of Multi-Mission Requirements and Development of Planning Factors for the Replacement Buoy Tender Fleet", documents the USCG's analysis and development of baseline multi-mission requirements of the replacement buoy tender fleet. The document describes buoy tender employment categories, historical tender employment data, the determination of underway hours per underway day, and projected impacts on multi-mission requirements resulting from alternative replacement fleet scenarios.

14. SUBJECT TERMS			15. NUMBER OF PAGES 64		
Aids to Navigation, B Geographic Informatio	ouy Tender, Decision So n System	upport System,	16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT		

TABLE OF CONTENTS

1.0	INTRODUCTION	1
	1.1 BACKGROUND	1
	1.2 INPUT PARAMETERS	1
	1.3 METHODOLOGY	2
	1.4 RELATIONSHIP TO OTHER WORK	2
2.0	BUOY TENDER EMPLOYMENT	3
	2.1 FOCUSED MISSION/MULTI-MISSION	3
	2.2 EMPLOYMENT CATEGORY DEFINITION	3
	2.2.1 PRIMARY MISSION EMPLOYMENT	3
	2.2.2 TRAINING AND MISCELLANEOUS OPERATIONS (TMO)	4
	2.2.3 ESSENTIAL MULTI-MISSION EMPLOYMENT	4
	2.2.4 OTHER MULTI-MISSION EMPLOYMENT	4
	2.3 HISTORICAL RESOURCE HOUR EMPLOYMENT/REPLACEMENT TARGETS	4
	2.3.1 SEAGOING BUOY TENDERS	5
	2.3.2 COASTAL BUOY TENDERS	5
	2.4 RESOURCE HOURS AND UNDERWAY DAYS	7
	2.5 OPERATIONAL PROFILES	9
	2.6 MULTI-MISSION EMPLOYMENT	10
	2.7 MULTI-MISSION RESOURCE HOUR REQUIREMENTS	11
	2.7.1 TMO, SAR AND DOMESTIC ICEBREAKING	12
	2.7.2 MARINE SCIENCE ACTIVITIES	12
	2.7.3 MARINE ENVIRONMENTAL RESPONSE	14
	2.7.4 OTHER MULTI-MISSION	15


TABLE OF CONTENTS (CON'T)

2.8 FLEET MIX SCENARIOS	20
3.0 PLANNING FACTORS DEVELOPMENT	25
3.1 WORKING GROUP	25
3.2 PROGRAM DIRECTORS CONSIDERATIONS	25
3.3 PLANNING FACTORS	28
4.0 CONCLUSION	30
APPENDIX A. ABSTRACTS OF OPPERATIONS SUMMARY SPREADSHEETS	A-1
APPENDIX B. COMMANDANT'S DECISION MEMO ON PLANNING FACTORS AND MULTI-MISSION CAPACITY REQUIREMENTS	A-2
FIGURES	
FIGURE 1. WLB RESOURCE HOURS PIE CHART	5
FIGURE 2. WLM.133 RESOURCE HOURS PIE CHART	6
FIGURE 3. WLM.157 RESOURCE HOURS PIE CHART	6
FIGURE 4. COMBINED WLM RESOURCE HOURS PIE CHART	7

TABLE OF CONTENTS (CON'T) TABLES

TABLE 1.	AVERAGE UNDERWAY HOURS PER UNDERWAY DAY	8
TABLE 2.	BUOY TENDER OPERATIONAL PROFILES (CURRENT)	9
TABLE 3.	BUOY TENDER OPERATIONAL PROFILES (PROJECTED)	9
TABLE 4.	WLB RESOURCE HOUR EMPLOYMENT PER DISTRICT	11
TABLE 5.	PROJECTED PER-SHIP REQUIREMENTS	12
TABLE 6.	PROJECTED WLBR MSA EMPLOYMENT (DAYS/DISTRICT)	13
TABLE 7.	PROJECTED WLBR MER EMPLOYMENT (DAYS/SHIP)	14
TABLE 8.	PROJECTED WLBR MER EMPLOYMENT (DAYS/DISTRICT)	14
TABLE 9.	PROJECTED WLBR "OTHER" EMPLOYMENT (DAYS/DISTRICT)	16
TABLE 10	. WLBR "OTHER MULTI-MISSION REQUIREMENTS	17
TABLE 11	. "VESSEL OF OPPORTUNITY" DAYS PER WLBR BY DISTRICT	18
TABLE 12	. GEOGRAPHIC DAYS BY DISTRICT	19
TABLE 13	. NON-PRIMARY MISSION IMPACT - 19 WLBR SCENARIO	21
TABLE 14	. NON-PRIMARY MISSION IMPACT - 16 WLBR SCENARIO	21
TABLE 15	. NON-PRIMARY MISSION IMPACT - 12 WLBR SCENARIO	21





1.0 INTRODUCTION

This report analyzes multi-mission employment requirements for the replacement buoy tender fleet and identifies the key planning factors for the Aids to Navigation Service Force Mix 2000 Project.

1.1 BACKGROUND

The Coast Guard is in the process of acquiring new resources to replace the capabilities of its aging seagoing and coastal buoy tender fleet. The Short Range Aids to Navigation Division has worked closely with the Office of Acquisition from the onset of this project, developing a detailed Mission Needs Statement, Sponsor's Requirements Documents, Circulars of Requirements and Requests for Proposals. In support of KDP-4 of the acquisition process, including the required advance budget planning, the required number of replacement seagoing buoy tenders (WLBRs) and replacement coastal buoy tenders (WLMRs) must be determined.

1.2 INPUT PARAMETERS

Several input parameters, or Planning Factors, critical to the effective employment and support of the replacement buoy tender fleet are identified in this report. In particular, multi-mission employment requirements have a major impact on the ATON Service Force Mix. These requirements are analyzed in detail.

The Mission Needs Statement indicates that the replacement seagoing buoy tender will continue to be a multi-mission resource and the replacement coastal buoy tender will be a focused-mission resource. The total number of ships required to service aids to navigation is expected to be less than currently required, but remain relatively constant regardless of the mix of replacement buoy tenders. Therefore, the higher the multi-mission requirements, the higher the number of WLBRs and lower the number of WLMRs. Conversely, the lower the number of WLBRs, the lower the amount of multi-mission employment available from the buoy tender fleet. In addition to multi-mission impact, other "public policy" considerations affected by the number of WLBRs include home port locations and workforce impacts.

Page 1 June 1992

1.3 METHODOLOGY

We have conducted a three-pronged effort to determine Coast Guard multi-mission requirements for seagoing buoy tenders. We collected data from the Abstract of Operations (AOPS) reports for the past five years. We also requested information from other program managers on planned use of seagoing buoy tenders for operations in their programs. Finally, we collected data from the field on individual districts' multi-mission requirements, as a combination of geographic and per-ship employment. The variance between program managers' and districts' reported multi-mission needs is also addressed.

1.4 RELATIONSHIP TO OTHER WORK

The field inputs used in developing the planning factors identified in this report, particularly the multi-mission requirements, were obtained through the Expert Study of the Aids to Navigation Service Force Mix. The Expert Study was a combination of individual district projections of their required service force mix, telephone conference answers to the Buoy Tender Operations Survey conducted jointly by the Short Range Aids to Navigation Division and the John A. Volpe National Transportation Systems Center, and individual district analysis of multi-mission employment requirements. The Expert Study is described in more detail in the Aids to Navigation Service Force Mix 2000 Project Report Overview. The analysis in this report forms the basis for the Baseline Multi-mission Requirements used in exercising the Aids to Navigation Service Force Mix Decision Support System developed by the Volpe Center and described in the Aids to Navigation Service Force Mix 2000 Project Report, Volume I.

Page 2 June 1992

2.0 BUOY TENDER EMPLOYMENT

For analysis purposes, we need to clearly identify how our buoy tenders' time is spent. The most readily available source of this information is the Abstract of Operations (AOPS). Resource hours expended in various employment categories are recorded for each ship. Days spent underway, in high readiness, involved in inport operations, in maintenance status, and in standby status are also recorded.

Although the AOPS data is recorded in a computer data base, direct access for generating the data summaries, reports and graphs was not possible. The required data was manually entered into spreadsheets developed by the Short Range Aids to Navigation Division for this analysis. Individual spreadsheets were prepared for each seagoing and coastal buoy tender, including AOPS data from FY-86 through FY-90. The information on these spreadsheets was then combined on summary spreadsheets, reporting summary employment information by cutter class for each District, for both Areas, and Coast Guard wide. Copies of these summary spreadsheets are provided in Appendix A to this report.

2.1 FOCUSED MISSION/MULTI-MISSION

We have identified in our Mission Needs Statement for the Seagoing and Coastal Buoy Tender Replacement Project that the WLBRs will be "multi-mission" and the WLMRs will be "focused mission". To get a handle on what that means, we have divided the Abstract of Operations (AOPS) employment categories into four groupings: Primary Mission, Training and Miscellaneous Operations, Essential Multi-mission, and Other Multi-mission.

As focused mission ships, WLMRs would not normally be assigned missions in the "Other Multi-mission" employment categories except as vessels of opportunity. WLBRs could be assigned missions in all of these employment category groupings. This breakdown gives us a consistent method to examine resource hour requirements in terms that correspond to our Mission Needs Statement and the Sponsor's Requirements Document. Using these employment category definitions, even "focused mission" ships are employed to some extent in Coast Guard Missions above and beyond their primary employment categories.

2.2 EMPLOYMENT CATEGORY DEFINITION

Employment category definitions will differ for Coast Guard resources with different primary mission areas and different inherent capabilities. For buoy tenders, the following definitions apply.

2.2.1 Primary Mission Employment - For ATON servicing vessels, the primary mission AOPS categories include Short Range Aids to Navigation and Radionavigation Aids (e.g. tender time spent servicing the mooring buoys and coordinating the refueling of LORSTA Kure Island).

Page 3 June 1992

- 2.2.2 Training and Miscellaneous Operations (TMO) For ATON vessels, this includes time spent in support of Coast Guard employment categories just by virtue of being a Coast Guard vessel. The amount of employment in these categories depends on the number of ships available. These Abstract of Operations categories include: Marine Inspection Program; Boating Safety; Cadet and OC Training; Port Safety and Security; Public and International Affairs; Miscellaneous and Other (includes District Inspections, Operational Readiness Inspections, MLC Compliance (and other) Inspections, monthly personnel and material inspections, etc.); Operational Training (includes Operational Training portion of REFTRA); Reserve Training; Bridge Administration. Within TMO, Operational Training is the largest single resource employment category. Operational training accounts for almost 10 days per ship per year on average.
- 2.2.3 Essential Multi-mission Employment These are considered the minimum non-ATON operational requirements, based on identified service needs, to which ATON vessels are assigned. Abstract of Operations categories include: SAR (both vessel of opportunity response and dedicated standby); Domestic Icebreaking; Marine Environmental Response (WLBR and WLMR); and Marine Science Activities (eg. traditional NOAA buoy servicing requirements and International Ice Patrol). WLMRs and BUSL's would not be scheduled for SAR stand-by or NOAA buoy ops.
- 2.2.4 Other Multi-mission Employment These are somewhat discretionary multi-mission requirements based on identified service need, which could be assigned to multi-mission ATON vessels with available time. Time in these categories is generally scheduled based on the need in a particular geographic area, but subject to re-allocation as necessary for "surge response" to primary mission employment categories. Abstract of Operations categories include: Enforcement of Laws and Treaties (ELT FISI:-DOM, ELT FISH-FOR, ELT DRUGS, ELT MIGRANT, and ELT OTHER); Military Operations (MIL OPS, MIL TRA (includes Military Training portion of REFTRA), and MIL EX); and Cooperation with Other Agencies (FED, STATE, and LOCAL).

2.3 HISTORICAL RESOURCE HOUR EMPLOYMENT/REPLACEMENT TARGETS

The AOPS data provides the best description of how we have historically employed our buoy tenders. For this analysis, we are primarily interested in the resource hours expended. When using this data, however, we need to realize that the information reported may not be absolutely accurate. Even with fairly comprehensive guidelines for completing the Abstracts of Operations, variations occur in how different units report their employment. For example, some units may have reported resource hours employed in NOAA Buoy Operations as ATON hours instead of MSA hours. Sometimes variations also occur from year to year due to Program guidance from headquarters. For example, a few years ago units were encouraged to increase their reporting of ELT

Page 4 June 1992

involvement. Resource hours spent travelling from buoy to buoy may have been reported as ELT hours, even though the ATON work could not have been accomplished without those ELT resource hours. With these limitations in mind, we can review the historical data.

2.3.1 Seagoing Buoy Tenders - As shown in Figure 1, 58.8% of the total WLB resource hour employment has been in their primary employment categories (i.e. ATON). This is a slight increase

WLB RESOURCE HOURS

FY-86 TO FY-90




FIGURE 1.

since the previous study which found WLB's employed approximately 55% for ATON. This may be accounted for with the decommissioning of HOLLYHOCK and SAGEBRUSH and loss of MESQUITE. For example, just prior to decommissioning, SAGEBRUSH had been employed only 44% of the time in ATON.

The employment target indicated in the Sponsor's Requirements Document for the replacement seagoing buoy tender class (WLBR)is 60% for ATON. This acknowledges the multi-mission nature of the seagoing buoy tender fleet. Based on the AOPS historical data, the 60% ATON employment target is realistic. While multi-mission employment requirements for the WLBR will be discussed in detail in a later section, it is important to note the potential impact of this employment target approach. Since seagoing buoy tenders are designed to service aids to navigation, the numbers of WLBRs will be based on the number required to perform the ATON servicing mission. Even with a consistent 60% ATON employment level, if fewer WLBRs than current WLB's are required for the ATON mission, fewer total hours will be available for multi-mission employment.

2.3.2 Coastal Buoy Tenders - As shown in Figure 2 and Figure 3, the employment profiles of the two classes of coastal buoy

Page 5 June 1992

tenders are very similar. A review of the AOPS data for WLM133's and WLM157's for FY-86 through FY-90 shows some differences between the two classes in the distribution of resource hours in the non-primary-mission employment categories. These differences are

WLM.133 RESOURCE HOURS

FY-86 TO FY-90




FIGURE 2.

WLM.157 RESOURCE HOURS FY-86 TO FY-90




FIGURE 3.

minor, however. Since we onsider the coastal buoy tenders to be "focused mission" resources and the ATON employment profiles are very similar, Figure 4 is an accurate reflection of the historical coastal buoy tender employment.

Page 6 June 1992

COMBINED WLM RESOURCE HOURS

FY-86 TO FY-90




FIGURE 4.

The employment target indicated in the Sponsor's Requirements Document for the replacement coastal buoy tender class (WLMR)is 85% for ATON. This acknowledges the focused mission nature of the coastal buoy tender fleet. Based on the AOPS historical data, the 85% ATON employment target is realistic.

2.4 RESOURCE HOURS AND UNDERWAY DAYS

As reflected in the different sections of the AOPS reports, we talk about employment data both in terms of resource hours and in terms of days. Time spent in support of an employment category is reported in terms of hours. The number of underway days is reported in total, but not for any particular employment category. For example, a buoy tender may get underway to service the aids to navigation in a waterway. After transiting for a couple hours and working two hours servicing two buoys and a fixed structure light, it finds a person in the water clinging to the next buoy. It spends two hours rescuing the person (whose boat had sunk) and transporting the survivor in its RHIB to the closest town for medical attention. The buoy tender spends two hours cleaning up the small oil slick coming from the sunken boat and then returns to home port. The AOPS report for that day's work would reflect 6 resource hours for ATON, 2 for SAR, and 2 for MER (total 10 resource hours) and one underway day. As you can see, using only resource hours or only underway days would not give a full picture of our resource employment.

One measure of how our resources are used is to look at the ratio of total resource (underway) hours to total underway days. For example, a cutter which gets underway infrequently but for long trips would have a higher ratio than one which does many

Page 7 June 1992

shorter day-trips. Table 1 shows the average over 5 years of this ratio for our buoy tender fleet. These operational profiles reflect the shorter endurance of our coastal buoy tenders and the geographically concentrated nature of ATON servicing. In comparison, a medium endurance cutter involved in law enforcement patrols over a wide geographic area may average over 20 hours per underway day.

TABLE 1.								
AVERAGE UNDERWAY HOURS PER UNDERWAY DAY FY-86 TO FY-90								
	(low)	Average	(high)					
WLM(133)	10.09 (DO1)	11.16	12.59 (DO8)					
WLM(157)	8.92 (D01)	9.67	10.17 (D05)					
WLB	12.78 (D11)	14.49	17.50 (D08)					

This analysis is valuable to us in any type of modeling process - from our individual seat-of-the-pants heuristic models, to more complex computer simulations. For example, we know from the AOPS reports how many resource hours the average 180' WLB spent servicing Aids to Navigation in FY-86 to FY-90 (1069.76). Of the average total underway days in that same period (125.58), we can estimate the mumber of days spent servicing aids to navigation as 73.83 days. This is calculated by dividing ATON Resource Hours by Underway (Resource) Hours per Underway Day (1069.76 + 14.49 = 73.83).

As with any data analysis tools, however, we must be aware of the limitations of this analysis. Since our buoy tender fleet provides resource hours for several Coast Guard employment categories, sometimes during the same day as described above, converting resource hours to days is valuable only for analytical purposes. It does not reflect the reality of multi-mission underway days. In addition, the operational profiles for the different missions are different, so the average resource hour per underway day in reality will vary by employment category. For example, the average WLB which does both ATON servicing and MLE patrols averaged 14.49 resource hours per underway day. medium endurance cutters average over 20 resource hours per underway day, we would expect that WLB's would also have a higher resource hour per underway day for its MLE patrols than their 14.49 hour average. It would also follow that the average for servicing ATON would be lower than the 14.49 hour per day average.

Page 8 June 1992

2.5 OPERATIONAL PROFILES

Both the Seagoing Buoy Tender and the Coastal Buoy Tender Sponsor's Requirements Documents (SRD's) project an operational profile of 150 underway days for each ship of each class of replacement buoy tender. Table 2 shows the historical operational profiles for our buoy tender fleet.

	TABLE 2.								
BUOY	BUOY TENDER OPERATIONAL PROFILES FY-86 TO FY-90								
	UNDERWAY DAYS/YR	RESOURCE HRS/YR	ATON HRS/YR						
WLM(133)	107.80	1357.70	1240.60						
WLM(157)	127.00	1227.88	1074.80						
WLB	125.58	1820.27	1069.76						

Based on a review of this data, a target of 150 underway days per year for our replacement buoy tender fleet appears to be optimistic. We do expect, however, to see less maintenance time with the new fleet, due both to the age of the fleet and to the low maintenance design requirements in the SRD's.

Table 3 shows the projected replacement buoy tender operational profile which will be used in modeling the service force mix of replacement resources.

TABLE 3.								
PROJECTED REPLACEMENT BUOY TENDER OPERATIONAL PROFILES								
	UNDERWAY DAYS/YR	RESOURCE HRS/YR	ATON HRS/YR					
WLMR	150	1500	1275					
WLBR	150	2100	1260					

Projected resource hours per year were calculated by multiplying the projected underway day target (150 days per year)

Page 9 June 1992

by 10 underway (resource) hours per underway day for the WLMR, and by 14 underway (resource) hours per underway day for the WLBR. The underway (resource) hours per underway day are based on the historical averages shown in Table 1, rounded to the nearest whole number. Projected ATON hours per year were calculated by multiplying the projected resource hours per year by the ATON employment targets (85% of resource hour employment for WLM's and 60% for WLBRs).

2.6 MULTI-MISSION EMPLOYMENT

Traditionally, we have considered employment in categories other than primary mission areas as "multi-mission" employment. This description does not adequately account for the resource hours expended by our buoy tenders, or any other cutters for that matter. As we have seen in our analysis of the AOPS data, some resource hours must be accounted for as TMO - resource hour employment generated by virtue of the fact that these are Coast Guard cutters. The remaining hours (after accounting for primary mission employment and TMO) are available to operational commanders for discretionary multi-mission employment.

The Mission Needs Statement indicates the multi-mission nature of the WLBR and the "focused mission" nature of the WLMR. It also indicates that the number of ships will be based on ATON requirements, not driven by multi-mission requirements. means that relative employment levels in multi-mission areas should remain constant as a % of resource hours expended by buoy Total levels of multi-mission hours available will be a function of the number of ships. That is, fewer ships would mean less multi-mission employment available. The operational requirements for multi-mission employment of seagoing buoy tenders will therefore be one of the key inputs in developing the ATON Service Force Mix. Multi-mission scheduling for our seagoing buoy tenders is desired in order to provide surge capacity (for additional primary or essential multi-mission tasking), while otherwise keeping them fully employed. The 60% ATON target provides for this, regardless of the number of buoy tenders.

For WLMRs the combined resource hour employment target in the "TMO", "Essential multi-mission" and "Other multi-mission" categories is 15%. Historical employment of WLM's in these categories is 12.2%. Due to the relatively low percentage of time dedicated to multi-mission employment, this analysis considers WLM's and their replacements to be "targets of opportunity" for this employment. The slight increase in the target (15%) over the historical level (12.2%) will account for an increase of essential multi-mission employment due to the WLMRs Vessel of Opportunity Skimming System (VOSS) capabilities. Further analysis of non-primary mission resource hour employment for WLMRs was not conducted.

Page 10 June 1992

The WLB fleet resource hour employment from FY86 to FY90 averaged 14.1% in "TMO", 8.4% in "Essential multi-mission", and 18.8% in "Other multi-mission" categories. Table 4 shows the historical resource hour employment in these categories by district.

TABLE 4.										
AVERAGI	AVERAGE WLB RESOURCE HOUR EMPLOYMENT PER DISTRICT (FY-86 TO FY-90)									
WLBR TARGET (%)	D01	D05	D07	D08	D09	D11	D13	D14	D17	
PRIMARY	1031	1002	1297	1232	758	1001	1174	996	1249	
(60%)	(65%)	(69%)	(63%)	(56%)	(50%)	(53%)	(68%)	(54%)	(58%)	
TMO	211	148	187	314	250	257	154	199	413	
(14%)	(13%)	(10%)	(9%)	(14%)	(16%)	(14%)	(9%)	(11%)	(19%)	
ESSENTIAL (9%)	131	48	81	278	115	224	140	231	173	
	(8%)	(3%)	(4%)	(13%)	(8%)	(12%)	(8%)	(13%)	(8%)	
OTHER	214	249	481	361	402	396	264	411	311	
(17%)	(13%)	(17%)	(24%)	(17%)	(26%)	(21%)	(15%)	(22%)	(15%)	
TOTAL	1588	1447	2046	2184	1524	1877	1731	1838	2146	
	(100%)	(100%)	(100%)	(100%)	(100%)	(100%)	(100%)	(100%)	(100%)	

2.7 MULTI-MISSION RESOURCE HOUR REQUIREMENTS

The "multi-mission" employment categories have been divided into two groups: "essential" and "other" (i.e. more discretionary). The primary employment targets of 60% ATON for WLBRs and 85% ATON for WLMRs are derived from historical averages, acknowledging the "multi-mission" nature of the WLBR and the "focused mission" nature of the WLMR, as well as "TMO" requirements. Within a fairly static fleet (by numbers of ships) the historical AOPS analysis is valid. It requires a closer look, however, when considering fleet replacement.

Historical multi-mission employment represents both geographic requirements and "vessel of opportunity" usage of buoy tenders. It is also important to recognize that geographic requirements may differ among districts (for example, District 1 will have greater DOM ICE requirements than District 7). To help project future multi-mission employment requirements, an attempt must be made to identify those geographic-specific requirements. In addition, new requirements and capabilities such as spilled

oil recovery may require a change in allocation of hours between "essential" and "other" multi-mission employment categories.

- 2.7.1 TMO, SAR and Domestic Icebreaking As stated previously, employment in these non-primary mission categories is based both on geographic requirements and "vessel of opportunity" usage. It is impossible to distinguish between these types of employment based solely on review of the AOPS data. To make projections of the requirements for the WLBR fleet, some simplifying assumptions are required.
 - 1. TMO is mostly a function of the resource itself and will remain near average historical levels per ship.
 - 2. Projections of "essential" multi-mission employment will consider employment in SAR and Domestic Icebreaking as target of opportunity and will remain near historical levels per ship per district.

Table 5 shows the days per ship reserved from the non-primary mission employment target for TMO, Search and Rescue, and Domestic Icebreaking. TMO days were calculated by multiplying the SRD projected underway days (150) by the TMO percentage (14%). SAR and DOM ICE days were calculated by dividing each District's average (FY-86 to FY-90) resource hours per ship by that District's average underway (resource) hours per underway day. (See Appendix A.)

	TABLE 5.										
PROJECTED REPLACEMENT SEAGOING BUOY TENDER PER-SHIP REQUIREMENTS (DAYS								(DAYS)			
	D01	D05	D07	D08	D09	D11	D13	D14	D17		
TMO	21	21	21	21	21	21	21	21	21		
SAR	3	3	2	2	3	3	2	10	4		
DOM ICE	0	1	0	0	9	0	0	0	0		

2.7.2 Marine Science Activities - Employment in MSA is primarily geographically based. In addition to International Ice Patrol responsibilities, the Coast Guard has agreements with NOAA to service their deep water moored weather data buoys and coastal marine automated network (C-MAN) stations. Many of these missions require seagoing buoy tenders' capabilities. Resource employment is coordinated with the NOAA Data Buoy Center (NDBC) and is commonly referred to as NDBC OPS. Table 6 shows the development of MSA projections in days per district.

Page 12 June 1992

	TABLE 6.										
	PROJECTED WLBR MSA EMPLOYMENT (DAYS PER DISTRICT)										
	D01 ¹	D05 ²	D07 ³	D08	D09 ⁴	D11	D13	D14	D17 ⁵		
HISTORICAL AVG (*)	19	2	9	24	5	27	6	17	7		
NDBC (**) PROJECTION	11	11	14	21	27	15	34	23	18		
DISTRICT PROJECTION	49	15	23	23	36	24	10	16			
TARGET	39	15	10	23	27	24	10	16	7		

- * SEE AOPS DATA APPENDIX A. CALCULATED BY DIVIDING AVERAGE TOTAL MSA HOURS IN EACH DISTRICT BY THE DISTRICT' AVERAGE UNDERWAY (RESOURCE) HOURS PER U/W DAY.
- ** NDBC PROJECTED DAYS FOR FY-92 IS USED AS A CHECK ON THE HISTORICAL AVERAGES AND DISTRICT PROJECTIONS. PROJECTIONS ARE FOR SCHEDULED VISITS AND DO NOT INCLUDE NEW STATION DEPLOYMENTS OR UNSCHEDULED SERVICING. THESE NUMBERS ARE THEREFORE CONSERVATIVE ESTIMATES, ALTHOUGH ALL SERVICING IS NOT ALWAYS PERFORMED BY SEAGOING BUOY TENDERS.

Notes to accompany Table 6.

Page 13 June 1992

District 1 estimates include 30 days International Ice Patrol previously done by USCGC EVERGREEN which was decommissioned in 3rd. QTR FY-90. G-NIO has validated the requirement for this mission for buoy tenders, but estimates an average of 20 days per year.

Discrepancy between Historical Average and the NDBC and District projections believed to be due to units recording NDBC operations as ATON vs. MSA.

Weighted toward Historical Average. In FY-91, the majority of NDBC requirements were accomplished by other than buoy tenders.

Target weighted toward NDBC Requirements. District projection appears to be weighted toward FY91 employment, which was 300 hrs. more than FY90. Most NDBC employment in the Ninth District has been handled by WLB's. Note 2 also applies.

District projection not yet provided.

2.7.3 Marine Environmental Response - Employment in MER is a combination of geographic requirements (spill response) and pership requirements (operational training and exercises). Historical data is an inadequate predictor due to changes in platform requirements and capabilities (e.g. built in Spilled Oil Recovery System (SORS)). Inputs on projected requirements were developed by the Districts in consultation with their local COTP's and MSO's. Commandant (G-MEP) has also reviewed these projections. Target reflects G-MEP inputs.

Table 7 shows the MER days per ship required from the non-primary mission employment target.

	TABLE 7.										
	PROJECTED WLBR MER EMPLOYMENT (DAYS PER SHIP)										
DISTRICT REQ'M'TS.	D01	D05	D07	D08	D09	D11	D13	D14	D17 (*)	TARGET	
TRAINING	10	2	4	4	14	5	4	4		4	
EXERCISES	5	2	2	1	7	5	4	1		2	
EQUIPMENT CLEANING	1	2								1	
TOTAL	16	6	6	5	21	10	8	5		7	

(*) DISTRICT 17 INPUTS NOT YET RECEIVED

Table 8 shows the additional MER days per district required from the non-primary mission employment target.

		TABLE 8.										
ADDITIONAL PROJECTED WLBR MER EMPLOYMENT (DAYS PER DISTRICT)												
DISTRICT REQ'M'TS.	D01	D05	D07	D08	D09	D11	D13	D14	D17 (*)			
SPILL RESPONSE	2	0	2	5	7	12	7	14				
EQUIPMENT CLEANING	0	0	2	1	6	0	6	3				
TOTAL	2	0	4	6	13	12	13	17				
TARGET	8	8	6	6	8	6	6	6	11			

(*) DISTRICT 17 INPUTS NOT YET RECEIVED

2.7.4 Other Multi-mission -- Employment in the "Other Multimission" categories can also be considered a combination of geographic requirements (e.g. fisheries or drug law enforcement patrol areas) and per-ship requirements (vessel of opportunity). For seagoing buoy tenders, these are the most discretionary employment categories. For example, if a hurricane or typhoon damaged the ATON system in a given OPAREA, the buoy tender assigned to restore the system may "buy" the time for this unscheduled servicing (surge response) from its "other multimission" schedule. Time for primary mission employment takes priority. These "other multi-mission" categories are, therefore, the most likely to be reduced if the multi-mission capacity of the buoy tender fleet is reduced. Identifying the operational requirements - what the Coast Guard needs or expects from the buoy tender fleet for these "other multi-mission" categories - is necessary for determining the ATON Service Force Mix.

Program inputs received from G-OP indicate minimal requirements for WLBR resource hours. There is no requirement for ELT employment. While the ELT Program benefits from seagoing buoy tender resource hours, the Program considers them as "vessels of opportunity". MILOPS employment projections are 5 days per WLBR per year. Cooperation with other agencies (COOP) was not discussed.

These inputs are at variance with historical data, indicating that the operational commanders sometimes use buoy tenders in ways not directly related to Program requirements. It is important to identify what the district commanders believe are buoy tender "other multi-mission" employment requirements. District Aids to Navigation offices were asked to provide projections of their district's requirements for "other multi-mission" resource hour employment. Coupled with historical averages and Program inputs, these projections can be used to help identify multi-mission requirements.

Table 9 shows the development of this information. All districts reported employment in these categories geographically (independent of the number of ships). In addition, the First District projects an additional per-ship requirement of 28 days per ship for MILOPS and 14 days per ship for COOP. For comparison purposes, these per-ship requirements were multiplied by the current number of WLB's to determine the per-district requirements.

Page 15 June 1992

Analysis of Table 9 shows that with the exception of Districts 1, 8, and 11, district projections for "Other Multi-mission" employment are lower than historical averages. These projections appear to be the district commander's best estimate of minimum "Other Multi-mission" requirements.

				TABLE	9.				
PROJECTE	D WLBR	"OTHER	MULTI-	MISSION'	' EMPLO	YMENT (I	DAYS PE	R DISTR	ICT)
	D01	D05	ס07	D08	D09	D11	D13	D14	D17 ⁶
DISTRICT PROJECTION				<u>. </u>					
ELT	74	5	10	4	0	0	10	31	
MIL OPS	84	5	4	54	36	72	15	6	
COOP	42	5	4	4	14	10	5	4	
TOTAL	200	15	18	62	50	82	30	41	
PROGRAM PROJECTION									
TOTAL ⁷	15	15	10	10	15	10	10	15	30
HISTORICAL AVG									
ELT	12	6	71	25	125	30	16	71	79
MIL OPS	24	38	8	13	3	23	17	7	19
СООР	13	13	6	4	16	8	7	4	15
TOTAL	49	57	85	42	144	61	40	82	113

Notes to accompany Table 9.

⁶ District input not yet received.

⁵ days/ship, multiplied by current number of ships for comparison.

 $^{^{8}}$ Calculated by dividing the FY-86 to FY-90 district average u/w (resource) hours per underway day into the average total resource hours for that district.

Table 10 combines historical AOPS averages with Program inputs and district projections to develop a comprehensive analysis of "Other Multimission" requirements for seagoing buoy tenders.

TABLE 10.											
WLBR "OTHER MULTI-MISSION" REQUIREMENTS											
	D01	D05	D07	D08	D09	D11	D13	D14	D17		
DAYS PER DISTRICT											
ELT	129	5	10	4	o ¹⁰	0	10	31	79		
COOP	13	5	4	4	6 ¹¹	10 ¹²	5	4	15		
TOTAL	25	10	14	8	6	10	15	35	94		
DAYS/SHIP											
MIL OPS ¹³	5	5	5	5 ¹⁴	5	10	5	5	5		

Notes to accompany Table 10.

Page 17 June 1992

⁹ Used historical average. District projection far exceeded average, and District Service Force Mix analysis was not received to validate inputs.

DO9 ELT projection is significantly below historical averages. This reflects fact that ELT Program has no need for WLB ELT time and therefore DO9 seagoing buoy tenders will no longer be sent out of the Lakes for ELT.

¹¹ DO9 Service Force Mix analysis states 3 WLBRs would be used, providing 7 days MIL OPS/COOP per ship, for a district total of 21 days. This is less than the district multi-mission projection, but more in line with historical AOPS averages. The 21 days was allocated here as 5 days MIL OPS per ship and 6 COOP per district.

D11 District Service Force Mix analysis states 2 WLBRs Would provide a total of 530 "Other Multi-mission" hours. Divided by the District's average 12.78 u/w hours per u/w day = 41 days. If Q-Route Surveys are no longer required, D11 (oan) indicates 10 days/ship for MIL OPS plus 10 days for COOP would meet D11 "Other Multi-mission" requirements.

Used Program inputs. No more Q-Route surveys anticipated. REFTRA hours provided in "Overhead". Dll req 10 days/ship; more exercises than average.

¹⁴ DO8 MIL OPS projection (Table 9) was higher than the historical average in order to include REFTRA which was previously recorded in the CG Overhead categories. Since historical average overhead is used for this study, DO8 MIL OPS was changed to program input. (REFTRA included in CG Overhead).

Tables 11 and 12 combine the per-ship requirements, non-primary ission days available per ship, and per-district requirements to determine he number of replacement seagoing buoy tenders required to meet the dentified multi-mission requirements.

	TABLE 11.									
"VESSEL OF OPPORTUNITY" DAYS REQUIRED PER WLBR BY DISTRICT										
	D01	D05	D07	D08	р09	D11	D13	D14	D17	
DAYS/SHIP REQUIRED							, ,			
TMO ¹⁵	21	21	21	21	21	21	21	21	21	
SAR ¹⁶	3	3	2	2	3	3	2	10	4	
DOM ICE ¹⁷	0	1	0	0	9	0	0	0	0	
MER ¹⁸	7	7	7	7	7	7	7	7	7	
MIL OPS ¹⁹	5	5	5	5	5	10	5	5	5	
TOTAL/SHIP REQUIRED	36	37	35	35	45	41	35	43	37	
					T				· · · · · · · · · · · · · · · · · · ·	
DAYS/SHIP ₂₀	60	60	60	60	60	60	60	60	60	
DAYS/SHIP REMAIN	24	23	25	25	15	19	25	17	23	

otes to accompany Table 11.

⁵ From Table 5.

^b From Table 5.

From Table 5.

⁸ G-MEP has reviewed the MER requirements. Values used in this Table are stimates based on G-MEP inputs (Table 7).

MIL OPS is the only "Other Multi-mission" category with per-ship equirements. Values from Table 10.

¹⁵⁰ day u/w day target (Table 3). 60% ATON target = 90 days. days emaining for overhead and multi-mission 150 - 90 = 60 days.

Days/ship available minus total days/ship required.

				TABLE	12.					
GEOGRAPHIC DAYS REQUIRED BY DISTRICT ²²										
	D01	D05	D07	D08	D09	D11	D13	D14	D17	
DAYS/ DISTRICT REQUIRED										
MER ²³	8	8	6	6	8	6	6	6	11	
MSA ²⁴	39	15	10	23	27	24	10	16	7	
"OTHER" ²⁵	25	10	14	8	6	10	15	35	94	
TOTAL	72	33	30	37	41	40	31	57	112	
DAYS/SHIP ₂₆ REMAIN	24	23	25	25	15	19	25	17	23	
SHIPS PERDISTRICT	3.0	1.4	1.2	1.5	2.7	2.1	1.2	3.4	4.9	

Notes to accompany Table 12.

 $^{^{22}}$ Total days required per district is a function of the geographic requirements PLUS the "vessel of opportunity" days per ship required in that district.

 $^{^{23}}$ G-MEP has reviewed MER requirements. Values here are estimates based on inputs from G-MEP (Table 8).

²⁴ From Table 6.

 $^{^{25}}$ "Other Multi-mission" from Table 10.

²⁶ From Table 11.

 $^{^{\}rm 27}$ Calculated by dividing the total Days/District Required by Days per Ship Remaining.

2.8 FLEET MIX SCENARIOS

Tables 13, 14 and 15 present the information from Tables 11 and 12 for three sample WLBR mix scenarios. The shortfall in required non-primary mission days is allocated among employment categories as one possible indication of the impact of that shortfall. The shortfall is first apportioned to the "Other Multi-mission" employment categories; any remaining shortfall is then apportioned to the "Essential Multi-mission" categories.

Page 20

				TABLE	13.		· · · · · · · · · · · · · · · · · · ·		
SAMPI	LE NON-1	PRIMARY	MISSIO	N IMPAC	r - 19 1	WLBR FLI	EET MIX	SCENAR	10
	D01	D05	D07	D08	D09	D11	D13	D14	D17
WLBRs ²⁹	3	1	1	2	2	2	1	3	4
TMO	63	21	21	42	42	42	21	63	84
SAR	9	3	2	4	6	6	2	30	16
DOM ICE	0	1	0	0	18	0	0	0	0
MSA	39	15	10	23	27	24	10	16	7
MER	29	15	13	20	22	20	13	27	39
ELT	12	5	10	4	0	0	10	31	79
MIL OPS	15	5	5	10	10	20	5	15	20
COOP	13	5_	4	4	6	10	5	4	15
TOTAL DAYS REQUIRED	180	70	65	107	131	124	66	186	260
TOTAL DAYS PROVIDED	180	60	60	120	120	120	60	180	240
TOTAL DAYS SHORTFALL	0	-10	- 5	+13	-11	-4	-6	-6	-20
	SHO	ORTFALL	APPORT	IONED B	Y EMPLO	YMENT CA	ATEGORY	32	
SAR									
DOM ICE									
MSA									
MER									
ELT		-4	-3	+3			-3	-4	-14
MIL OPS		-3	-1	+7	-7	-2	-1	-2	-3
COOP		-3	-1	+3	-4	-2	-2		-3

TABLE 14.										
SAMPI	LE NON-	PRIMARY	MISSION	IMPACT	r - 16 t	WLBR FLI	EET MIX	SCENAR	10	
	D01	D05	D07	D08	D09	D11	D13	D14	D17	
WLBRs ²⁹	2	1	1	1	2	1	1	3	4	
TMO	42	21	21	21	42	21	21	63	84	
SAR	6	3	2	2	6	3	2	30	16	
DOM ICE	0	1	0	0	18	0	0	0	0	
MSA	39	15	10	23	27	24	10	16	7	
MER	22	15	13	13	22	13	13	27	39	
ELT	12	5	10	4	0	0	10	31	79	
MIL OPS	10	5	5	5	10	10	5	15	20	
COOP	13	5	4	4	6	10	5	4	15	
TOTAL DAYS REQUIRED	144	70	65	72	131	81	66	186	260	
TOTAL DAYS PROVIDED	120	60	60	60	120	60	60	180	240	
TOTAL DAYS SHORTFALL	-24	-10	-5	-12	-11	-21	-6	-6	-20	
	SH	ORTFALL	APPORTI	ONED BY	Y EMPLO	YMENT C	ATEGORY	32		
SAR										
DOM ICE										
MSA										
MER						-1				
ELT	-8	-4	-3	-4			-3	-4	-14	
MIL OPS	-7	-3	-1	-4	-7	-10	-1	-2	-3	
СООР	-9	-3	-1	-4	-4	-10	-2		-3	

TABLE 15.									
SAMPI	E NON-F	RIMARY	MISSION	IMPACI	: - 12 t	WLBR FLE	EET MIX	SCENAR	0
	D01	D05	D07	D08	D09	D11	D13	D14	D17
WLBRs ²⁹	1	1	1	0	2	1	0	2	4
CODB	21	21	21	0	42	21	0	42	84
SAR	3	3	2	0	6	3	0	20	16
DOM ICE	0	1	0	0	18	0	0	0	0
MSA	39	15	10	23	27	24	10	16	7
MER	15	15	13	6	22	13	6	20	39
ELT	12	5	10	4	0	0	10	31	79
MIL OPS	5	5	5	0	10	10	0	10	20
СООР	13	5	4	4	6	10	5	4	15
TOTAL DAYS	108	70	65	37	131	81	31	143	260
TOTAL DAYS PROVIDED	60	60	60	0	120	60	0	120	240
TOTAL DAYS SHORTFALL	-48	-10	-5	-37	-11	-21	-31	-23	-20
	SHO	ORTFALL	APPORT	IONED BY	Y EMPLO	YMENT C	ATEGORY	32	
SAR	-2								
DOM ICE									
MSA	-9			-23			-10		
MER	-7			-6		-1	-6		
ELT	-12	-4	-3	-4			-10	-15	-14
MIL OPS	-5	-3	-1		-7	-10		-7	-3
СООР	-13	-3	-1	-4	-4	-10	-5	-1	-3

Notes to accompany Tables 13, 14 and 15.

- Only WLBRs are considered in these scenarios. The numbers of WLMRs will vary, but impact on multi-mission requirements is not considered since these are focused-mission ships and their multi-mission employment is low.
- 29 Estimated geographic distribution of WLBRs for the given mix scenario.
- Calculated as: # of WLBRs multiplied by Days/Ship Required (Table 11) PLUS Total Geographic Days Required (Table 12). In Table 13, for example, District 1 MER is calculated as: $(3 \times 7) + 8 = 29$.
- Total Days/Ship Available (Table 11) multiplied by # of WLBRs. For example, District 1 is calculated as: 60 x 3 = 180.
- The shortfall is allocated to each employment category based on the ratio of the days in that category to the total days in the employment category grouping.

In Table 13, for example, D17 shortfall allocation is calculated:

```
SHORTFALL = 20 Days

ELT + MIL OPS + COOP = Total = 79 + 20 + 15 = 114

Shortfall Allocation to ELT = (ELT/Total) x Shortfall

= (79/114) x 20 = 13.86 = 14

Shortfall Allocation to MIL OPS = (MIL OPS/Total) x Shortfall

= (20/114) x 20 = 3.5 = 3

Shortfall Allocation to COOP = (COOP/Total) x Shortfall

= (15/114) x 20 = 2.6 = 3
```

Page 24

3.0 PLANNING FACTORS DEVELOPMENT

As discussed in Section 1.2, several input parameters, or Planning Factors, are critical to the effective employment and support of the replacement buoy tender fleet. In Section 2.0, we examined buoy tender employment. Multi-mission employment projections for WLBRs were analyzed in terms of:

- 1. Historical use of the existing fleet, from review of the Abstract of Operations Data (FY-86 to FY-90)
- 2. District (oan) projections for use of future fleet capabilities
- 3. Headquarters program inputs on projected fleet requirements

Historical data and district projections of resource employment differ from some program projected requirements, specifically in the ELT, MIL OPS and COOP employment categories.

At the direction of G-CCS, a working group of Program Directors' representatives was convened to address these differences and the impacts of the possible mix scenarios on engineering and personnel support.

3.1 WORKING GROUP

The working group included representatives of G-CPA, G-E, G-M, G-N, G-O, G-P and G-R. Based on the tasking from G-CCS, this working group met to:

- 1. Review/validate G-N's analysis of projected multimission employment levels (Section 2.0 of this report)
- 2. Review differences between projected employment levels and program projected requirements
- 3. Recommend multi-mission employment capacity for replacement seagoing buoy tender fleet (i.e. the number of ships each program could accept in terms of need for WLBR multi-mission employment).

In addition to multi-mission employment considerations, Program Directors identified other key input parameters which must be accounted for in developing the Service Force Mix for the replacement buoy tender fleet.

3.2 PROGRAM DIRECTORS' CONSIDERATIONS

Each Operating Program Director's representative reviewed G-N's analysis of projected multi-mission employment of the buoy tender fleet from their Program's perspective. In addition, Support Program Directors' representatives reviewed the projected

Page 25 June 1992

3.2 PROGRAM DIRECTORS' CONSIDERATIONS (CON'T)

operational profiles for impact on personnel, training and engineering support requirements. The following is a summary of each Program Director's findings.

- 3.2.1 Office of Engineering, Logistics and Development The G-E representative indicated either the nineteen or sixteen WLBR fleet mix scenario would have an impact on engineering support considerations. Specific concerns include the need to provide sufficient shore-based maintenance support billets in personnel levels requested for the replacement fleet. While still under study, the number of billets required for maintenance and crew support may range from six to ten per WLMR. Also of concern is the reduction of afloat engineering billets.
- 3.2.2 Office Marine Safety, Security and Environmental Protection The G-M representative indicated that the resource days spelled out in Section 2.7.3 are days that must be set aside for the replacement buoy tenders in order to meet MEP requirements. These days are critical to plan for pollution response and also to meet the intent of the Oil Pollution Act of 1990 § 4203 for replacement buoy tenders to have readily available oil skimming capabilities. The resource days identified as "vessel of opportunity" days (for training and exercises) are also necessary for response preparation, not only for the buoy tender itself but also for overall Coast Guard oil spill response preparedness.

The G-M Program Director states that either the nineteen or sixteen WLBR fleet mix scenario would meet the mission needs for Marine Environmental Protection. The Marine Environmental Protection program needs are a multi-mission capability that the WLBRs and WLMRs must have.

3.2.3 Office of Navigation Safety and Waterway Services - As the project sponsor, the G-N Program Director was represented by three separate divisions. Each division's representative addressed concerns related to their areas of responsibility.

The Search and Rescue Division representative supported the SAR analysis, projecting continuation of the "vessel of opportunity" employment in SAR for WLBRs and WLMRs. Concern was expressed that operational commanders require a significant "high readiness" SAR standby role for the current WLBRs. As the district's only heavy weather offshore resource, SAR readiness requirements should be considered in determining the geographic distribution of WLBRs.

The Ice Operations Division representative validated the domestic icebreaking employment levels, increasing the number of days in District Nine (+3 days/ship) and deleting the requirement (-1 day/ship) for District Seventeen. He also validated the International Ice Patrol requirement for District One.

Page 26 June 1992

3.2.3 Office of Navigation Safety and Waterway Services (Con't) The Short Range Aids to Navigation Division representatives reported that based on preliminary results from exercising the Aids to Navigation Service Force Mix Decision Support System, the Aids to Navigation mission could successfully be accomplished with a service force mix that includes 16 WLBRs. While as few as 12 WLBRs (with a commensurate increase in the number of WLMRs) could accomplish all routine ATON servicing requirements, this would not provide adequate geographic distribution for surge response requirements. Surge response includes unusually heavy ATON servicing requirements caused by severe ice seasons or It also includes emergency discrepancy or oil pollution response beyond normally assigned operating areas to meet operational requirements when the responsible WLBRs are in maintenance or training status. Responsible fleet management requires a minimum of 16 WLBRs.

A reduction in the number of ships in the buoy tender fleet will impact the performance of operational and administrative requirements usually performed by a ship's crew in inport operations status. For example, many discrepancies are responded to by a team of personnel from a ship, using either the ship's small boat or a station boat, while the ship is moored. WAMS studies are also conducted by ship personnel. In ports or geographic regions with fewer replacement ships, additional buoy boats and/or billets must be provided to augment ANTS, stations and groups for discrepancy response. Billets must also be provided to district staffs to accomplish the waterways management functions lost with the reductions.

3.2.4 Office of Law Enforcement and Defense Operations - The G-O representative indicated that the program has no identified need for scheduled WLBR ELT employment. However, the employment levels in the Section 2.7.4 analysis are the best estimate of how the WLBRs may actually be employed by operational commanders. The numbers of WLBRs should not be based on the projected ELT employment levels.

Based on the above analysis, the G-O Program Director can accept the shortfall in program days identified in either the 19 WLBR or 16 WLBR fleet mix scenario.

3.2.5 Office of Personnel and Training - The G-P representative indicated that any replacement fleet mix scenario will have significant impact on the workforce due to the projected numbers of billets and pay grade/rating distribution. Specific concerns include the decrease in afloat CWO billets, afloat training billets, junior officer afloat opportunities, and afloat non-rate pool. Projected increases in E-8 billets could pose a long-term problem with the E-8 cap. Concern was also expressed that the reduced crewing levels specified will require increased emphasis on "pre-arrival" training. This may require an increase in the General Detail percentage allocated for each ship. In addition, shore based maintenance support billets need to be included in personnel levels requested for the replacement fleet.

Page 27 June 1992

- 3.2.5 Office of Personnel and Training (Con't) The G-P Program Director states that the fleet mix scenario which includes 16 WLBRs and 14 WLMRs is acceptable if the above concerns are considered. With the phased introduction of the replacement fleet, these workforce issues can be effectively managed.
- 3.2.5 Office of Readiness and Reserve The G-R representative supports the five days per year per WLBR figure used in the analysis for MIL OPS as previously provided by G-ODO. The Navy no longer supports the Q-Route mission and can find no credible threat for continuing to fund this area of operations. Projections indicate that by the time the replacement buoy tender fleet is in operation, MARDEZLANT will no longer require this mission. Additionally, reduced emphasis on major FTXs involving WLBRs is expected.

The G-R Program Director supports a fleet mix scenario which calls for at least 18 WLBRs which will best meet projected military utilization rates. However, it is recognized that the increased cost for providing more WLBRs than required for the primary mission capability (ATON) is probably unsupportable.

3.3 PLANNING FACTORS

The Mission Needs Statements, Sponsor's Requirements Documents, Circulars of Requirements, and Coast Guard policy and operational directives all provide guidance for the effective employment and support of the replacement buoy tender fleet. Based on this guidance and input from cognizant Program Directors, several key input parameters, or planning factors, have been identified. Planning factors used in this process which impact on the multi-mission employment considerations and engineering and personnel support requirements include:

- 1. Employment targets established in the Sponsor's Requirements Documents remain valid.
- 2. WLMRs will be focused-mission resources and WLBRs will be multi-mission.
- 3. Marine Environmental Protection is an essential multi-mission requirement.
- 4. Both the WLBR and WLMR will operate with reduced crewing levels (as compared with the existing fleet). The WLMR will be minimally crewed for operations.
- (a) Shore-based maintenance support billets must be provided.
- (b) Additional billets to augment aids to navigation teams, groups and district staffs must be provided to replace discrepancy response capabilities and waterways management functions lost with the reduction of ships.

Page 28 June 1992

3.3 PLANNING FACTORS (CON'T)

- (c) Billets must be included in the General Detail to provide pre-arrival training to ensure assigned crew members arrive fully qualified. This may require an increase in the General Detail percentage allocated to each ship.
- 5. The analysis described in section 2.0 of this report accurately reflects Coast Guard WLBR multi-mission requirements and employment projections.

Page 29 June 1992

4.0 CONCLUSION

We have identified in our Mission Needs Statement for the Seagoing and Coastal Buoy Tender Replacement Project that the WLBRs will be "multi-mission" and the WLMRs will be "focused mission". Based on traditional employment of these resources, this means that the WLBR will spend 60% of its resource hours on aids to navigation and the WLMR will spend 85% of its resource hours on aids to navigation. Within these guidelines, the total number of ships required will be based on ATON servicing requirements. The amount of multi-mission employment available from the buoy tender fleet will depend on the number of WLBRs in the ATON service force mix. The analysis in this report was conducted to identify the multi-mission employment capacity required from the buoy tender fleet to ensure that the number of WLBRs provided in the service force mix would meet these minimum, baseline requirements.

At the direction of the Chief of Staff, a working group of cognizant Program Directors' representatives was convened to review the multi-mission requirements analysis and to identify any other input parameters critical to effective employment and support of the replacement buoy tender fleet. The planning factors identified in section 3.3 reflect the Program Directors' considerations.

Based on the multi-mission analysis and Program Directors' review, 16 WLBRs is the recommended baseline, or minimum, requirement. Fewer WLBRs would result in an unacceptable shortfall in essential multi-mission capacity. It would also provide an unacceptable level of ATON support due to lack of sufficient geographic distribution for surge response capabilities. While 3 additional WLBRs (with a commensurate decrease in WLMRs) would provide more multi-mission capacity to accomplish identified requirements, it does not appear to be a cost-effective use of resources. The shortfall in multi-mission employment capacity provided by 16 WLBRs is acceptable to the Program Directors; alternative resources such as patrol boats and medium endurance cutters will be considered by Program Directors to overcome any operational shortfalls as required.

The results of the multi-mission capacity analysis and review by the Program Directors were provided to the Commandant of the Coast Guard in a decision briefing on 27 February 1992. In a decision memo from G-N, on 12 March 1992 the Commandant approved the planning factors (identified in section 3.0 of this report) and determined that the multi-mission capacity provided by 16 WLBRs is the baseline multi-mission requirement for developing the Aids to Navigation Service Force Mix. A copy of this decision memo is included in Appendix B to this report.


Page 30 June 1992



APPENDIX A

ABSTRACTS OF OPERATIONS SUMMARY SPREADSHEETS
FY86 - FY90

US COAST GUARO BUOY TENDERS Abstract of Operations Data



Summary Spreadsheets FY86 — FY 90

Prepared by G-NSR-4 12 July 1991

PM
1:26
1661
19,
Aug
Mon

PAGE 1


	DISTRICT:	ALL	FY	96	FY	-87	FY		FY	80	Ē	-
	TYPE:		RESOURCE	1/0	RES		RES		RES	H	RES	1/0
REGION: ALL BOIMADY MICSTON EMPLOYMENT	CLASS:	180 &1/5	HOURS	HOURS	HRS	HRS	IIRS		HRS	HRS	HRS	HRS
			9639	7415	28265		. 0	6009	32280	5880	30007	6176
RADNAV)	-	2	٠,	3=	`-	9	•	_	-
TOTAL			29648	7426	28319	7810	31013	7015	32383	5880	30084	6176
COAST COARD OVERHEAD:	· · · · · · · · · · · · · · · · · · ·		:					•	: 0			
SBS			> C	ۍ ۳	> <	> <	> <	> -	c	7 0 7	2 "	٥
CADET/OC			5.7	ر <i>د</i>	\sim	~	_	106	071	4	ر /د	77
PSS			30	, , ,	3 3	7 ~	> ~	7	~ ~	90	ν τ Τ	/11
PIA			Š	432		8	n oc	7		500	601	٠,
MISC			3017	1269	2571	7	1667	23	1990	9	S	202
OP TRA			83	4661	73	~	82	5	2	2166	3378	6
RESERVE			0	009	0,0		65		86	401	26	191
TOTAL			7103	707.5	~	U	7	0	2	- -		-
ESSENTIAL MULTI-MISSION			۰ بر	Э •	7 :	8222	4/0/	11188	/132	8526	800/	/014
SAR	i		7	80	1500	79	1317	100	1293	159	6	
DOM ICE			106	0	268	74	~	∞	574	7	Š	•
MER			4	88	168		6		03	164	_	83
MSA			3	0	~	S	55	S	92	109	22	6
TOTAL			2261	273	3692	313	3093	283	6820	439	5684	419
OINER MULTI-MISSION			; 6				: 3		: :		: 1	
MII ODS			S	\ r	_;	ຕ ເ	9	~ ¢	9	9	~	
COOP (ALL)			77	~ C	70	× <	25	0-	4 0	\sim 0	800	~ 0
TOTAL			12926	758	12274	767	10731	1468	6785	916	5633	899 76
(RESOURCE)	HOURS		0.2		62				1.2			
TOTAL U/W DAYS			36		36		ĕ		3558		3311	
U/W HOURS PER U/W DAY	•		0:		. 5	1			6.		9.	
HIGH READINESS DAYS			234		193		195		208	; ; ;	110	· · · · ·
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DA ATON INPORT OPS DAYS	S DAY			15502 1281 12.10148 613.6438	; ; ;	17445 1395 12.51 624.5	• • • •	19954 1516 13.16 533	1 1 1 1	15761 1315 11.99 490.6		14277 1113 12.83
								, ,				: :
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	JR S		1939 3523 10585		2049 3335 10585		2059 2998 10457		1939 3200 10220		1842 3479 9855	
RESOURCE YEARS ACCOUNTED	ED FOR		90		20		78 57		36		9.7	
			67						07		17	

9/WLM ABSTRACT DATA FY86 · FY90

257697 17779 14.49 14.49 940 9828	2536 842 4577 4577 82939 6620 12.53 2738.31		8,4692464 17,913268 5,9475441 32,330059 32,330059 46,760977 12,53 19,34
	10000 10000 5991 48349 257697 17779 14.49 940 940 9828 16535 51702 141.57104	31666 10692 5991 48349 257697 17779 14.49 940 940 9828 16535 51702	21550 1727 31666 1199 10692 2536 5991 842 48349 4577 17779 82939 6620 14.49 82939 6620 12.53 2788 16535 51702

WLB RESOURCE HOURS

FY-86 TO FY-90 AVERAGE



SUMMARY DATA FOR DISTRICT: ALLCOGARD TYPE: WLB CLASS: , 180

	CUTTER: LAN 5YR (FY86-FY9 RESOURCE HOURS	ANTAREAWLB 790) TOTALS I/O HOURS	SYR (FY86-F RESOURCE HOHRS	Y90) AVG I/O HOURS	CUTTER: PA SYR (FY86-FY RESOURCE HOURS	PACAREA.WLB FY90) TOTALS I/O HOURS	5YR (FY86-F) RESOURCE HOURS	FY90) AVG I/O HOURS
PRIMARY MISSION EMPLOYMENT ATON RADNAV TOTAL	77186	15924 53 15982	1008.03 1.42 1009.45	207.96 0.76 208.72	73808 344 74152	18321 4 18325	1135.51 5.29 1140.80	281.86 0.06 281.92
COAST GUARD OVERHEAD MIO RBS CADET/OC	126 788	0 0 246	.0.9.		10 5 800	· ~ 60		:
PSS PIA MISC	46 1007 5560	1566 4392	9.1.9		347 1278 6278	19 148 239	96.59	22.9 36.8
	9329 19 0 16875	13963 647 112 21229	121.83 0.25 0.00 220.38	182.35 8.45 1.46 277.25	54 21 47	70 O	162.28 3.23 0.00 299.63	24.48 24.97 0.00 324.60
ESSENTIAL MULII: MISSION SAR DOM ICE DOM ICE MER MER MSA TOTAL	2632 1778 533 4310 9253	65 91 380 644	40000	0.85 1.19 1.41 4.96 8.41	34 35 97 29		9-5-6	40804
OTHER MULTI-MISSION ELT (ALL) MIL OPS COOP (ALL) TOTAL	16774 16774 5968 3509 26251	664 1480 397 2541	219.06 77.94 45.83 342.83	8.67 19.33 5.18 33.18	14892 4724 2482 22098	535 1056 445 2036	229.11 72.68 38.18 39.97	8.23 16.25 6.85 31.32
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	129674 9269 13.99		1693.51 121.05 13.99		128023 8510 15.04		200	
HIGH READINESS DAYS TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS DAYS ATON INPORT OPS DAYS	628	40396 3079 13.12	8.2015343	527.56 40.21 13.12 15.91	312	42543 3541 12.01 1525.25	4	654.51 54.48 12.01 23.47
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	5466 9522 27964	:	71.38 124.36 365.20	1 1 1 1 1 1	4362 7013 23738		67.11 107.89 365.20	
RESOURCE YRS ACCOUNTED FOR	76.571038			• • • • • • • • • • • • • • • • • • •	9			

	RESOURCE HOURS	I/O HOURS	RESOURCE HOURS	I/O HOURS
PRIMARY MISSION EMPLOYMENT . ATON	150994	34245	1066.56	241.89
	453 151447	62 34307	3.20 1069.76	0.44 242.33
COASI GUARD OVERHEAD . MIO PRS	10	7	0.07	0.05
CADET/OC	1588	1276	. 2	9.01
PSS	393	195	2.78	1.38
MISC	11838	3033 6784	83.62	47.92
OP TRA	19877	28554	140.40	201.69
RESERVE	229	2270	1.62	16.03
	36351	42328	256.77	<u>`</u> 6.
ESSENTIAL MULTI-MISSION	7607		: 6	; 0
NAU NOG	976	100	۳.	3.09
	2120	160	13.03	•
i ≪ S	8288	719	58.54	9
TOTAL	21550	1727		12.20
OTHER MULTI-MISSION - ELT (ALL)	31666	6611	223.68	8.47
MIL OPS	10692	, C	75.5	
COOP (ALL)	5991	842	42.32	5.95
	œ	4517	٠.	32.33
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	257697 17779 14.49	· · · · · · · · · · · · · · · · · · ·	1820.27 125.58 14.49	• • • • • • • • • • • • • • • • •
HIGH READINESS DAYS	076		6.6397761	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS		82939 6620 12.53 2738.31		585.85 46.76 12.53 19.34
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	9828 16535 51702		69.42 116.80 365.20	
RESOURCE YRS ACCOUNTED FOR	141.57104			

SUMMARY DATA FOR DISTRICT: LANTAREA TYPE: WLB CLASS: 180

	CUTTER: DOI SYR (FY86-FY9 RESOURCE) WLB180 (90) TOTALS	5YR (FY86-FY90)	A VC	TTER: (FY86-	DOSWLB180 FY90) TOTALS	5YR (FY86-FY90)	4
PRIMARY MISSION EMPLOYMENT	HOURS	HOURS	HOURS	HOURS	HOURS	1/0 HOURS	RESOURCE HOURS	I/O HOURS
ATON RADNAV TOTAL COACT CHABD OVERDEAD	15353 109 15462	2877 56 2933	1023.53 7.27 1030.80	191.80 3.73 195.53	15035	3358 2 3360	1002.33 0.00 1002.33	223.87 0.13 224.00
	00	00	00.0	0.00	Õ	ő	0.00	0.00
CADET/OC	528	534	35.20	35.60	29	00	0.00 1.93	0 0 0 0
FSS	18 41	3 140	2.53	0.20	8 6 5	0 8 1	0.53	0.00
MISC OP TRA	924	1336	61.60	89.07	874	883	58.27	58.87
RESERVE	10	647	1.27	43.13	0 0 0	2300	84.00 0.00	153.33 0.00
TOTAL TOTAL ESSENTIAL MULTI-MISSION	3169	6405	211.27	427.00	2223	112 3413	0.00 148.20	7.47
SAR	630	~			538	10	; ∞	0.67
DOG TOE	114	67	0.00 7.60		82	79	4	5.27
MSA TOTAL	1227	75 131	81.80	5.00 8.73	100 722	100 100	6.67 48.13	0.67 6.67
ELT (ALL) MIL OPS	796	41			407	59	: =:	3.93
COOP (ALL) TOTAL	834 3217	52 330	55.60 214.47	13.80 3.47 22.00	2475 848 3730	5/1 121 751	165.00 56.53 248.67	38.07 8.07 50.07
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	23819 1831 13.01		1587.93 122.07 13.01	· · · · · · · · · · · · · · · · · · ·	21710 1670 13.00		1447,33 111,33 13.00	
HIGH READINESS DAYS	136		9.0666667		224		14.933333	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS		9799 695 14.10 208.02		653.27 46.33 14.10 13.87	· · · · · · · · · · · · · · · · · · ·	7624 660 11.55 290.87		508.27 44.00 11.55 19.39
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	1067 1749 5478		71.13 116.60 365.20	• • • • • • • • • • • • • • • • • • •	893 2031 5478		59.53 135.40 365.20	
RESOURCE YRS ACCOUNTED FOR	15				15			

SUPPLARY DATA FOR DISTRICT: LANTAREA TYPE: WLB CLASS: '180

	CUTTER: DO SYR (FY86-FY	7WL.B180 90) TOT	- 0	Y90) AVG	CUTTER: DO 5YR (FY86-FY	n08WLB180 FY90) TOTALS	SYR (FY86 · F	Y90) AVG
TURNO I AND NOT SOLD VENTER	HOURS	HOURS	3	HOURS		HOURS		HOURS
FRIMANI MISSION ENFECTINENT	16301	1957		•	12316	134.1	•	134.10
TOTAL	16301	1957	1296.71	155.68	12316	1341	1231.60	134.10
COAST COARD OVERNEAD	00	00			00	00		
CADET/OC	227	12			00	00		
PSS PIA	009	0 69			0 27	0 127		٥.٧
MISC Agr ao	1120	828			238	3300		
RESERVE	600	700	200.0	0.00	6/87	000	00.0	
TOTAL TOTAL	2346	1881			3140	4080		
ESSENTIAL MOLITARISTON	361	12	. ~ .		320	0	0	
DOM ICE MER	00	00	0.0		379	130	0,0	
MSA TOTAL	662 1023	63 75	52.66 81.38	5.01	2082 2781	21 <i>7</i> 230	208.20 278.10	21.70 23.00
OTHER MULTI-MISSION ELT (ALL)	5072	108	. 4.	⊹ ₹	2143	91	ີ ແ	9.1
MIL OPS COOP (ALL) TOTAL	574 399 6045	200 28 336	45.66 31.74 480.87	15.91 2.23 26.73	1101 362 3606	432 53 576	110.10 36.20 360.60	43.20 5.30 57.60
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	25715 1790 14.37		2045.57 142.39 14.37		21843 1248 17.50		2184.30 124.80 17.50	
HIGH READINESS DAYS	22		1.7500543		4		4.7	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS		4249 407 10.44 187.46		338.00 32.38 10.44 14.91		6227 488 12.76 105.09	• • • • • • • • • • • • • • • • • • •	622.70 48.80 12.76 10.51
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	1004 1368 4591		79.87 108.82 365.20		590 1279 3652	· · · · · · · · · · · · · · · · · · ·	59.00 127.90 365.20	
RESOURCE YRS ACCOUNTED FOR	12.571038		· · · · · · · · · · · · · · · · · · ·	1	10		, , , , , , , , , , , , , , , , , , ,	

	SYR (FY86-FY90) RESOURCE HOURS	90) 101 ALS 1/0 HOURS	RESOURCE HOURS	I/O I/O HOURS
PRIMARY MISSION EMPLOYMENT ATON	18181	6391		266.29
	0 18181	0 6391	0.00	0.00 266.29
COASI GUAKU OVEKHEAU MIO RRS	0 0 1 26	00		0.00
CADET	340	• • •	0.17	
PIS PIS	827	1112		0.00 46.33
MISC	2404	701	100.17	
NESERVE	0 0 0)03) 0	00.00	0.00
BRIDGE	0 5997	0 2 7 5	0.00	0.00
ESSENTIAL MULTI-MISSION				٠.
	783	36	32.63	•
DOM ICE	1696	12	ö	0.50
E X	226	4 - V A	0.08	1.88
	2756	108		
OTHER MULTI-MISSION -	8356	365	71.8.15	16 21
MII. OPS	231	C 97	740.17	13.61
COOP (ALL)	1066	143		
TOTAL	9653	548	402.21	22.83
TOTAL U/W (RESOURCE) HOURS	36587		1524.46	
U/W HOURS PER U/W DAY	2/30 13.40		113.75	
CH READI	199		8.2916667	1 1 1 1 1
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS	, , , , , , ,	12497 829 15.07 423.95		520.71 34.54 15.07 17.66
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	1912 3095 8765		79.67 128.96 365.21	
RESOURCE YRS ACCOUNTED FOR	24		1 1 1 1 1 1 1 1 1	

527.56 40.21 13.12 15.91

SUMMARY DATA FOR DISTRICT: LANTAREA TYPE: WLB CLASS: 180

HOURS

5 YEAR AVERAGE RESOURCE I/C HOURS HOURS

SUMMARY FY86 THROUGH FY90
5 YEAR TOTALS
RESOURCE I/O
HOURS

207.96 0.76 208.72

1008.03 1.42 1009.45

15924 58 15982

77186 109 77295

PRIMARY MISSION EMPLOYMENT

0.00 0.00 7.13 0.04 20.45 57.36 1182.35 8.45 1.46 277.25

0.85 1.19 1.41 4.96 8.41

SUMMARY DATA FOR DISTRICT: PACAREA TYPE: WLB CLASS: 180 & 175

	CUTTER: D119 SYR (FY86-FY9 RESOURCE HOURS	1WLB180 90) TOTALS 1/0 HOURS	5YR (FY86-F RESOURCE HOURS	FY90) AVG I/O HOURS	CUTTER: D1 5YR (FY86·FY RESOURCE HOURS	D13WLB FY90) TOTALS 1/0 HOURS	5YR (FY86-F) RESOURCE HOURS	FY90) AVG I/O HOURS
S	10006	2563 0 2563	1000.60 0.00 1000.60	256.30 0.00 256.30	11739	1695 0 1695	1173.90 0.00 1173.90	
COAST GUARD OVERHEAD MIO RBS CADET/OC	220	000	. 00		10 0 101	\$ 0 6 6	1.00	0.00
PSS PIA MISC	264 171 684	9 271 482 993			27 222 282 282	19 469 249		
	1228 0 0 2567	2291 0 0 3053	600%		824 71 0 1537	917 917 0 3371	30.0m	
ESSENTIAL MULTI-MISSION SAR SOM ICE MER MSA TOTAL	369 0 164 1706 2239	18 0 4 184 206	36.90 0.00 16.40 170.60 223.90		239 239 735 422 1396	32 0 31 20 83	- WOW 00	3.20 0.00 3.10 2.00 8.30
OTHER MULTI-MISSION ELT (ALL) MIL OPS COOP (ALL) TOTAL	1947 1490 525 3962	98 289 65 452	194.70 149.00 52.50 396.20	9.80 28.90 6.50 45.20	1061 1103 475 2639	129 160 34 323	106.10 110.30 47.50 263.90	12.90 16.00 3.40 32.30
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	18774 1469 12.78		1877.40 146.90 12.78		17311 1299 13.33		1731.10 129.90 13.33	
HIGH READINESS DAYS	29		2.9	,	66	1 4 2 3 4 4 4 4 4	6.6	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS		6274 446 14.07 182.20		627.40 44.60 14.07 18.22		5472 493 11.10 152.71		547.20 49.30 11.10 15.27
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	725 983 3652		72.50 98.30 365.20		774 987 3652		77.40 98.70 365.20	
RESOURCE YRS ACCOUNTED FOR	01	•			10			

SUMMARY DATA FOR DISTRICT: PACAREA TYPE: WIB CLASS: 180 & 175

	CUTTER: D14	4WLB180	3.98v3) ave	2V4 (108V	20	7WLB180	7 9 A A A A A A A A A A A A A A A A A A	2V4 (00V4.
	RESOURCE HOURS	I/O HOURS	RESOURCE HOURS	==	RESOURCE HOURS	1/0 1/0 HOURS	ESOURC HOUR	-
PRIMARY MISSION EMPLOYMENT ATON	14593	6883	. 2.		37470	080Z		
	344 14937	6987	995.80	465.80	37470	7080	1249.00	0.00 236.00
COAST GUARD OVERHEAD MIO	0	0	•		0			
RBS	Š	2	•		0	73		
CADET/OC	0	0	•		614	684		
SSA (2,0	139	۳.		;	25		
CU 12	020	999 756	· <		75	350	54	
OP TRA	1760	2635	117.33	175.67	6736	666Z	224 53	
RESERVE	43	902	. ~		6	0	<u>ښ</u>	
BRIDGE	0	0	6			0	0	
TOTAL TOTAL MISSION	2992	4218	•	281.20	12380	10457		348.57
	2150	102		, æ	1584	334		
DOM ICE	٥;	٥٢	•	۰.	35	90		~
E X	1303	761	٠.	∹ິ	2/12	140		۰.
TOTAL	3466	303	231.07	20.20	5196	491	173.20	
OTHER MULTI-MISSION ELT (ALL)	7765	69			75	215	. ~	: -
MIL OPS	561	356	37.		57	9	.35	
COOP (ALL) TOTAL	265 6170	84 533	17.67	5.60 35.53	1217 9327	262 728	40.57 310.90	8.73 24.27
TOTAL U/W (RESOURCE) HOURS	27565	; ; ; ; ; ; ;	1837.67		64373		2145.77	
U/W HOURS PER U/W DAY	15.02		15.0		16.48		16.4	
HICH READINESS DAYS	76	1 1 1 1 1 1 1	6.2566667		06			· · · · · · · · · · · · · · · · · · ·
AL INPO		12041 1083 11.12 628.43		802.73 72.20 11.12 41.90		18756 1519 12.35 573.39		625.20 50.63 12.35 19.11
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	895 1571 5478		59.67 104.73 365.20		1968 3472 10956		65.60 115.73 365.20	· · · · · · · · · · · · · · · · · · ·
RESOURCE YRS ACCOUNTED FOR	51				30			

SUMMARY DATA FOR DISTRICT: PACAREA TYPE: WLB CLASS: 180 & 175

SUMMARY DATA FOR DISTRICT: ALLCOGARD TYPE: WLM CLASS: 157

	CUTTER: DO SYR (FY86-FY	1WLM15	(FY86	·FY90) AVG	UTTER: (FY86-	DOSWLM157 FY90) TOTALS		FY90) AVG
DETMADY MISSION FABROANTENT	HESOURCE	1/0 HOURS	RESOURCE NOURS	I/O HOURS	RESOURCE NOURS	I/O HOURS	RESOURCE HOURS	I/O HOURS
A TOTAL CONTRACTOR OF THE PROPERTY OF THE PROP	6996	4440	906.30		17207	6100	; =:	406.67
	9663	0777	0.00 966.30	0.00 444.00	0 17207	0 6100	0.00 1147.13	0.00 406.67
COAST GUARD OVERHEAD	116		07 11					
RBS	0	0			0	00		•
CADET/OC	800	20	•	•	0	179		
S VIII	5. 6.18	384	•	ું ∝	36 282	92	~; a	ی ن
MISC	484	329			260	1038		. 6
OP TRA RESERVE	708 0	1383 48	70.80	138.30	982	1343	65.47	89.53
BRIDGE				0	2 - 6	• (.0	0
FSSENTIAL MULTI-MISSION	1425	2170		- 1	1620	3425		- 1
SAR	22		2.	Ξ.	26	6	. 7	
MER	7	33	نان	٦.	26	ے م	۲. ۵	•
MSA	156		15.60	5.50		0	0.00	00.00
OTHER MULTI-MISSION	477	88	7.4	٠.	185	15	ღ :	
ELT (ALL) MIL OPS	28 65	71			127	33	4. a	2.2
COOP (ALL) TOTAL	1 94	0 28	0.10	0.00	20 279	210	1.33	0.27
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS	11406	· · · · · · · · · · · · · · · · · · ·	1140.60		19291		1286.07	
U/W HOURS PER U/W DAY	8.92		6. ;		10.17		10.	
HIGH READINESS DAYS	28		2.8		11		5.1333333	· · · · · · · · · · · · · · · · ·
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS		6727 529 12.72 349.15		672.70 52.90 12.72 34.92		9750 880 11.08 550.56		650.00 58.67 11.08 36.70
STANDBY DAMAINTENANCE DAMAINTE	694 1123 3652	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	69.40 112.30 365.20		1012 1612 5478		67.47 107.47 365.20	
RESOURCE YRS ACCOUNTED FOR	10	***************************************	1		15			

SUMMARY DATA FOR DISTRICT: AALLCOCARD TYPE: WLB CLASS: 133

	CUTTER: DOI 5YR (FY86-FY9	OWEN133	(FY86	-FY90) AVG	UTTER: (FY86-	DO7WLM133 FY90) TOTALS	5YR (FY86-F)	·FY90) AVG
THAMPOOTING MOTOSTA VIEWA	RESOURCE	I/O HOURS	RESOURCE	I/O HOURS	RESOURCE HOURS	I/O HOURS	RESOURCE HOURS	I/O HOURS
AIRMAI MISSION ENFECTIMENT ATON	14994	10536	09.666	702.40	6240	2928		
TOTAL	14994	10536		702.40	6240	2928	1248.00	585.60
	00	00			0	00		
CADET	52	00			00	00		
PSS	351	155	ء ۾		120	61	٥٠.	
MISC OP TRA	700 575	323 371			148 155	20 236		
RESERVE	17		4.73	0.27	00	00	0.00	000
TOTAL PSCENTIAL MILTI-MICSION	1749	853			315	317		
SAR SAR	7.2	11			10			
DOM ICE MER	* •	00			0 10	00		
MSA TOTAL	0 08	0 =	0.00	0.00	0 15	0-	3.00	0.00
OTHER MULTI-MISSION ELT (ALL)	547	c	•		229	7	•	
MIL OPS COOP (ALL)	37	91	6.5	6.07	209	74 23	41.80	14.80
TOTAL	676	157	0		561	101	5	
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	17499 1734 10.09		1166.60 115.60 10.09		7131 612 11.65		1426.20 122.40 11.65	
HIGH READINESS DAYS	296		19.733333		35	•	7	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS		11557 981 11.78 894.33		770.47 65.40 11.78 59.62		3347 233 14.36 203.83		669.40 46.60 14.36 40.77
TOTAL	823 1644 5478		54.87 109.60 365.20		436 510 1826		87.20 102.00 365.20	•
RESOURCE YRS ACCOUNTED FOR	15				5		· · · · · · · · · · · · · · · · · · ·	•

	CUTTER: DOBWL 5YR (FY86-FY90) RESOURCE HOIRS	DOBWLM133 FY90) TOTALS I/O HOURS	SYR (FY86·FY90) RESOURCE	790) AVG I/O HOUDE
PRIMARY MISSION EMPLOYMENT ATON	12406	3818	1240.60	381.80
RADR	0 12406	3818		
COAST GUARD OVERHEAD MIO PRS	00	0	0.00	
CADET/OC	000	000		
PIA	9	0 92 20	0.00	0.00
MISC Agr ac	254	333		
RESERVE	41	197	8.70 4.10	24.70 19.70
	388	0 833	0.00 38.80	0.00 83.30
-	224	7	22.40	0.40
DOM ICE	٥;	00		
MSA	17	00	4.10	0 C
TOTAL	286	21	9.	2.10
	41		; -	٠.
MIL OPS	121	21 56	12.10	2.10
-	497	85	0	8.50 8.50
TOTAL U/W (RESOURCE) HOURS TOTAL U/W DAYS U/W HOURS PER U/W DAY	13577 1078 12.59	, , , , ,	1357, 70 107, 80 12, 59	
HIGH READINESS DAYS	84		8.4	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY ATON INPORT OPS DAYS	, , , , ,	4757 690 6.89 553.80	, , , , , , ,	475.70 69.00 6.89 55.38
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	806 994 3652		80.60 99.40 365.20	
RESOURCE YRS ACCOUNTED FOR	10			

G-NSR-4

SUMMARY DATA FOR DISTRICT: AALLCOGARD TYPE; WLB CLASS: 133

	SUMMARY 5 YEAR TOTALS	SUMMARY FY86 1 R TOTALS	FY86 THROUGH FY90 5 YEAR	AVERAGE
THEMOLOGICAL NOTS OF NOTION	HOURS	1/0 HOURS	RESOURCE	HOURS
ATOMEN TISSION EMPLOINENT - ATOM	33640	17282		576.07
	33640	17282	1121.33	0.00 576.07
COAST GUARD OVERHEAD . MIO	0	0		
RBS	0 5	00	۰,	
CADEL/OC	70	00	0.00	00.0
PIA	369	272	12.30	9.07
MISC	1102	676	36.73	22.53
RESERVE	112	854 201	3.73	78.47
BRIDGE		0		: ~
TOTAL TOTAL MISSION	2452	2003	81.73	66.77
SAR	306	16		
DOM ICE	æ ;	0	$0.2\overline{2}$	
E Z M N	56 7.1	ဆတ	0.87	0.27
TOTAL	381	33	12.70	
OTHER MULTI-MISSION -	817	12	27 23	0.00
	367	186	. 2	
COOP (ALL) TOTAL	550 1734	145 343	18.33 57.80	4.83 11.43
TOTAL 11/1/ (PECNIES) HOME	38207		1979 67	
TOTAL U/	3424 11.16			
HIGH READINESS DAYS	415		13.833333	
TOTAL INPORT OPS HOURS TOTAL INPORT OPS DAYS INPORT OPS HOURS PER DAY	1 1 1 1 1 1 1	19661 1904 10.33		655.37 63.47 10.33
PS .		1673.61		55.79
STANDBY DAYS MAINTENANCE DAYS TOTAL DAYS ACCOUNTED FOR	2065 3148 10956		68.83 104.93 365.20	
RESOURCE YRS ACCOUNTED FOR	30			

Analysis of Multi-mission Requirements and Development of Planning Factors for the Replacement Buoy Tender Fleet

APPENDIX B

COMMANDANT'S DECISION MEMO ON PLANNING FACTORS AND MULTI-MISSION CAPACITY REQUIREMENTS

DEPARTMENT OF TRANSPORTATION U.S. COAST GUARD CG-4229 (Rev. 6-90)

DIOEST

APPROVAL:	X
SIGNATURE:	
INFORMATION:	

28 FEB 92

FROM: G-N

PATO:

G-CCS

RE:

DECISION MEMO - WLBR MULTI-MISSION CAPACITY REQUIREMENTS

- 1. Attached is the decision memo requesting that the Commandant establish the multi-mission requirements for the relacement seagoing buoy tender fleet. Attached as enclosures to the decision memo are the briefing slides and script presented on 27 FEB 92, as well as copies of the Multi-mission Issue Paper and Multi-mission Background Paper.
- 2. I have included in the decision memo the planning factors that affect the size and mix of the replacement ATON fleet. These factors are critical to the effective employment and support of the replacement buoy tender fleet and must be locked in.

Very Respectfully,

SIGNER'S COMMENTS

U.S. Department of Transportation United States Coast Guard

Memorandum

FEB 28 1992

Subject: AIDS TO NAVIGATION SERVICE FORCE MIX MULTI-MISSION CAPACITY REQUIREMENTS

Date:

16500

Reply to:

G-NSR

From: Chief, Office of Navigation Safety and Waterway Services

Attn. of: CDR Ihnat

X70980

22.

To: Chief of Staff

1. <u>ISSUE</u>: To establish the multi-mission employment capacity requirements for the replacement buoy tender fleet.

2. <u>BACKGROUND</u>: The Coast Guard is in the process of acquiring new resources to replace the capabilities of its aging seagoing and coastal buoy tender fleet. In conjunction with that effort, a detailed analysis of the required number and mix of the new generation buoy tenders has been undertaken.

In 1991 we contracted with the Volpe National Transportation Systems Center (TSC) to develop a computer based Decision Support System (DSS) for the Coast Guard to use in analyzing fleet mix requirements. TSC has submitted their draft report on the development and application of the Aids to Navigation Service Force Mix Decision Support System (SFM DSS).

TSC's Aids to Navigation SFM DSS uses a Geographic Information System (GIS) with built-in transportation analysis routines to project buoy tender employment in servicing aids to navigation. Inputs include numbers, locations and characteristics of the aids to navigation population, weather factors, discrepancy response requirements, special operating constraints, and planned capabilities of the replacement fleet. The SFM DSS was validated by applying existing vessel capabilities and service force mix as inputs and comparing the DSS hours predicted with historical data. I am satisfied with the validity of the SFM DSS itself, and that the input parameters adequately describe aids to navigation servicing practices.

My staff conducted a three-pronged effort to analyze the multi-mission capacity requirements for the replacement buoy tender fleet. They analyzed data from the Abstract of Operations (AOPS) reports for the past five years. They requested information from program managers on planned use of seagoing buoy tenders for multi-mission operations. Finally, they collected data from the field on individual districts' multi-mission requirements.

- Subj: AIDS TO NAVIGATION SERVICE FORCE MIX MULTI-MISSION CAPACITY REQUIREMENTS
- 3. <u>DISCUSSION</u>: Our analysis of multi-mission capacity requirements is based on the following planning factors which affect the total number and mix of ships in the replacement ATON fleet.
- (1) Employment targets established in the Sponsor's Requirements Documents remain valid.
- (2) WLMRs will be focused-mission resources and WLBRs will be multi-mission.
- (3) Marine Environmental Protection is an essential multi-mission requirement.
- (4) Both the WLBR and WLMR will operate with reduced crewing levels (as compared with the existing fleet). The WLMR will be minimally crewed for operations.
- (a) Shore-based maintenance support billets must be provided.
- (b) Additional billets to augment aids to navigation teams, groups and district staffs must be provided to replace discrepancy response capabilities and waterways management functions lost with the reduction of ships.
- (c) Billets must be included in the General Detail to provide pre-arrival training to ensure assigned crewmembers arrive fully qualified. This may require an increase in the General Detail percentage allocated to each ship.
- (5) The analysis described in the Multi-mission Employment Background Package (enclosure (1)) accurately reflects Coast Guard WLBR multi-mission requirements and employment projections.
- Multi-mission capacity requirements are analyzed in scenarios developed in terms of numbers of WLBRs.
- A 16 WLBR scenario would annually provide 960 days of non-primary mission employment capacity. While this is a shortfall of 115 multi-mission days from the projected requirements, multi-mission requirements are substantially met.
- A 19 WLBR scenario would reduce the above shortfall to 49 multi-mission days. The cost for gaining these 66 days is an increase of approximately \$90 million in ship acquisition costs alone.

Subj: AIDS TO NAVIGATION SERVICE FORCE MIX MULTI-MISSION CAPACITY REQUIREMENTS

As indicated in the Multi-Mission Employment paper of 14 February 1992 (enclosure (2)), program directors have stated that the projected multi-mission capacity provided by the 16 WLBR scenario would be acceptable.

- RECOMMENDATION: As discussed in the decision briefing for the Commandant on 27 February 1992 (enclosure (3)), I recommend that the Commandant:
- (1) approve the planning factors indicated in paragraph 3 above; and
- (2) determine that the multi-mission capacity provided by a 16 WLBR scenario is the baseline multi-mission requirement for developing the Aids to Navigation Service Force Mix.

- Encl: (1) Multi-Mission Employment Background Information
 - (2) Multi-Mission Employment Issue Paper
 - (3) Commandant Briefing Slides (with script attached)

G-CPA 16500 **9** MAR 1992

FIRST ENDORSEMENT ON G-N memo 16500 of 28 Feb 92

From: Chief of Staff

To: Commandant

Subj: AIDS TO NAVIGATION SERVICE FORCE MIX MULTI-MISSION CAPACITY REQUIREMENTS

- 1. The attached information documents the results of G-N's analysis of multi-mission requirements for the new buoy tender fleet. I was extremely impressed with the depth of analysis conducted by G-N and personally believe this will be the benchmark from which future ones will be compared. G-N's recommendation is procedurally sound and is defensible, both internally and externally. The process G-N used to review their mission need and come to a recommendation throws out the previous norm of one-for-one replacements and instead focuses on the mission to be accomplished and the best way to accomplish it.
- 2. One special concern I have with our decision also highlighted by G-N is the impact of the reduced crewing on the new fleet. First, we must insist on pipeline training for the WLB and WLM crews, because of their minimal manning. Secondly, we must ensure that shore maintenance detachments are available as the ships are deployed. With your concurrence, I will ensure that these important issues are accounted for in our future flower budget requests.

3. I recommend that you:

- a. Approve the planning factors in paragraph 3 of G-N's memo; and
- b. Determine that the multi-mission capacity provided by the 16 WLB scenario is the baseline multi-mission requirement for developing the Aids to Navigation service Force Mix.

R. T. Nelson

H. T. NELSON

Approve

___ Disapprove

Date

3/12/92